**EXAMINATION TO DETERMINE** STATE OF CONNECTICUT **DEPARTMENT OF MOTOR VEHICLES** PHYSICAL CONDITION OF DRIVER On The Web At http://dmvct.org R-323 REV. 7-2001 1. DRIVER'S INFORMATION Driver completes this section. DRIVER'S NAME (Last, First, Middle, SOCIAL SECURITY NUMBER **BIRTHDATE** DATE OF EXAM SEX **New Certification** М Recertification F Follow-up ADDRESS (Number and Street) (City or Town) (State) (Zip Code) DRIVER LICENSE NUMBER LICENSE CLASS STATE OF ISSUE WORK TELEPHONE NUMBER HOME TELEPHONE NUMBER П А П В C D OTHER 2. HEALTH HISTORY Driver completes this section, but medical examiner is encouraged to discuss with driver YES NO NO YES NO Fainting, dizziness Any illness or injury in last 5 years? Lung disease, emphysema, asthma, chronic bronchitis Kidney disease, dialysis Head/Brain injuries, disorders or illnesses Sleep disorders, pauses in breathing while asleep, daytime sleepiness, Liver disease Seizures, epilepsy loud snoring medication Digestive problems Stroke or paralysis Eye disorders or impaired vision (except corrective lenses) Diabetes or elevated blood sugar controlled by: Missing or impaired hand, arm, foot, leg, finger, toe Ear disorders, loss of hearing or balance diet Heart disease or heart attack; other cardiovascular condition pills Spinal injury or disease medication insulin Chronic low back pain Heart surgery (valve replacement/bypass, angioplasty, pacemaker) Nervous or psychiatric disorders, e.g., severe depression Regular, frequent alcohol use High blood pressure medication medication Narcotic or habit forming drug use Muscular disease Loss of, or altered consciousness Shortness of breath FOR ANY "YES" ANSWER, INDICATE ONSET DATE, DIAGNOSIS, TREATING PHYSICIAN'S NAME AND ADDRESS, AND ANY CURRENT LIMITATION. LIST ALL MEDICATIONS (Including over-the-counter medications) used regularly or recently. I certify that the above information is complete and true. I DRIVER'S SIGNATURE DATE understand inaccurate, false, or missing information may invalidate the examination and my Medical Examiner's Certificate. MEDICAL EXAMINER'S COMMENTS ON HEALTH HISTORY (The medical examiner must review and discuss with the driver any "YES" answers and potential hazards of medications, including over-the-counter medications, while driving.) **TESTING** (Medical Examiner Completes Sections 3 through 7) 3. VISION Standard: At least 20/40 acuity (Snellen) in each eye with or without correction. At least 70° peripheral in horizontal meridian measured in each eye. The use of corrective lenses should be noted on the Medical Examiner's Certificate. INSTRUCTIONS: When other than the Snellen chart is used, give test results in Snellen-comparable values. In recording distance vision, use 20 feet as normal. Report visual acuity as a ratio with 20 as numerator and the smallest type read at 20 feet as denominator. If an applicant wears corrective lenses, these should be worn while visual acuity is being tested. If the driver habitually wears contact lenses, or intends to do so while driving, sufficient evidence of good tolerance and adaptation to their use must be obvious. Monocular drivers are not gualified. NUMERICAL READINGS MUST BE PROVIDED

ACUITY	UNCORRECTE	CORRECTED	HORIZONTAL FIELD OF VISION		-		Applicant can recognize and distinguish among traffic control signals and devices showing standard red, green, and amber	YES	□ NO
Right Eye	20/	20/	Right Eye	0	colors?  Applicant meets visual acuity requirement only when wearing	YES	□ №		
Left Eye	20/	20/	Left Eye	0	corrective lenses?				
Both Eyes	20/	20/		0	Monocular Vision: YES NO				
COMPLETE IF VISION TESTING IS DONE BY AN OPHTHALMOLOGIST OR OPTOMETRIST									

COM LETE II VISION TESTING IS BONE BY AN OFTITIALMOLOGIST ON OFTIME INIST								
DATE OF EXAMINATION	NAME (Ophthalmologist/Optometrist - Please Print)	TELEPHONE NUMBER	LICENSE NO./STATE OF ISSUE	SIGNATURE OF OPHTHALMOLOGIST/OPTOMETRIST				
				x				

Standard: a) N		S MUST BE RECO			: d	b	! ! !		< 40-ID	
Chook	Must first perceive forced whisp if hearing aid used for tests.			d required to r		_	ng ioss in i	etter ea	ar≤ 400B.	
INSTRUCTION	<b>\S:</b> To convert audiometric test re	esults from ISO to A	J	•			lz, -8.5dB f	or 2,000	Hz. To av	∕erage, ad
tne readings to	or 3 frequencies tested and divide	by 3.			RIGHT E	AR		LEFT EA	AR	
	eadings must be recorded.	AR LEFT EAR b)	If audiometer is	s used, record	500 Hz	1000 Hz	2000 Hz	500 Hz	1000 Hz	2000 Hz
1 '	nce from individual at which ed voice can first be heard	he	aring loss in de ISI Z24.5-1951	ecibels. (acc. to	AVERAG	 BE:		AVERAC	GE:	
5 21.000					.=-					
5. BLOOD	PRESSURE/PULSE RATE	NUMERICAL READ	NGS WUST		For Blood	Pressure E	valuation			
BLOOD	SYSTOLIC DIASTOLIC	On Initial	<u>Exam</u>	_		/ithin 3 Month		_		ertify
PRESSURE  Driver qualifie	ed if less than or	If 161-180 and qualify 3 mo	,			or equal to 19 1 year. Doci ol the third r	ument Rx &	,	accept	nually if able BP is ntained
equal to 160/	90 on initial exam.  REGULAR	If > 180 and/or 10		d			o 160 and/or . Document		Bia	nnually
PULSE RATE	IRREGULAR	Then qualify for	3 mos. only.		Ŕx & co	ntrol the thir	d month		-	
		MEDICAL EX					S TO CON	FIRM BI	LOOD PRI	ESSURE.
6. LABORA	ATORY AND OTHER TEST FIND	INGS NUMERICA	AL READING	SS MUST BE	RECORDED	).				
	equired. Protein, blood, or sugarurther testing to rule out any unde				URINE SPECIMEN	SP. GR.	PROTEIN	l BL	.OOD	SUGAR
Even if a condition correct the condition Check <b>NO</b> if the vehicle safely.	a certain condition may not necessarily on does not disqualify a driver, the motion as soon as possible particularly if body system is normal. Discuss any nter applicable item number before ea To The Medical Examiner for guidance	edical examiner may of the condition, if negled YES answers in detail ach comment. If organi	consider deferri cted, could result in the space I	ing the driver te ult in more serio below, and indic	mporarily. Als us illness that cate whether it	so, the driver might affect would affect	should be addriving. Check the driver's	dvised to	take the ne there are ar	cessary ster
BODY SYSTEM			*YES NO				JI.	·	.,	ommerciai n
General     Appearance      Eyes	Marked overweight, tremor, signs of alcoho drug abuse.  Pupiltary equality, reaction to light, accomm	liem problem drinking or		BODY SYST			CHECK FOR			*YES
2. Eyes		nodation, ocular motility,		7. Abdomen a Viscera 8. Vascular	and Enlarged li abdominal	wall muscle we	CHECK FOR	bruits, her	rnia, significan	*YES
	ocular muscle imbalance, extraocular move exophthalmos, strabismus uncorrected by o	nodation, ocular motility, ement, nystagmus, corrective lenses,		7. Abdomen a Viscera 8. Vascular system 9. Genito-urin	and Enlarged I abdominal Abnormal veins.	wall muscle we	CHECK FOR pleen, masses, eakness.	bruits, her	rnia, significan	*YES
3. Ears	ocular muscle imbalance, extraocular move	nodation, ocular motility, ment, nystagmus, corrective lenses, macular degeneration.		7. Abdomen a Viscera 8. Vascular system 9. Genito-urin system 10. Extremities	and Enlarged I abdominal Abnormal veins.  Ary Hernias.  Limb Loss or im	wall muscle we pulse and ampl	CHECK FOR pleen, masses, eakness. itude, carotid or	bruits, her	rnia, significan uits, varicose	*YES I
4. Mouth & Throat	ocular muscle imbalance, extraocular move exophthalmos, strabismus uncorrected by cretinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external caterine disease, occlusion of external caterine disease.	nodation, ocular motility, ment, nystagmus, corrective lenses, macular degeneration. anal, perforated eardrums. vith swallowing or breathing	3.	7. Abdomen a Viscera 8. Vascular system 9. Genito-urin system 10. Extremities impaired. D may be subjet o SPE certification of the wise	and Enlarged I abdominal Abnormal veins.  ary Hernias.  Limb Loss or im limp, defor hypotonia. maintain s	wall muscle we pulse and ample and ample pairment of leg mities, atrophy.	CHECK FOR pleen, masses, pakness. itude, carotid or foot, toe, arm, weakness, par asp and prehen rip. Insufficient	rarterial br hand, fingalysis, club sion in upp	rnia, significan ruits, varicose er. Perceptibl bbing, edema, ser limb to	*YES I
4. Mouth & Throat 5. Heart	ocular muscle imbalance, extraocular move exophthalmos, strabismus uncorrected by cretinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external callrremediable deformities likely to interfere w. Murmurs, extra sounds, enlarged heart, page	nodation, ocular motility, ment, nystagmus, corrective lenses, macular degeneration. anal, perforated eardrums. with swallowing or breathing comaker.	j.	7. Abdomen a Viscera 8. Vascular system 9. Genito-urin system 10. Extremities impaired. D may be subj to SPE certii if otherwise qualified.	Abnormal Abnormal Abnormal veins.  Ary Hernias. Limb Loss or im river ect hypotonia. Ficate maintain s lower limb	wall muscle we pulse and ample pairment of leg mittes, atrophy Insufficient grateering wheel g to operate ped	CHECK FOR pleen, masses, pakness. itude, carotid or foot, toe, arm, weakness, par asp and prehen rip. Insufficient als property.	hand, fingalysis, club sion in upparticular mobility and	rnia, significan uits, varicose er. Perceptibli bbing, edema, ser limb to nd strength in	*YES I
4. Mouth & Throat  5. Heart  6. Lungs and chest, not including breast	ocular muscle imbalance, extraocular move exophthalmos, strabismus uncorrected by cretinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external confirmediable deformities likely to interfere with Murmurs, extra sounds, enlarged heart, pack Abnormal chest wall expansion, abnormal repetath sounds including wheezes or alveolarespiratory function, dyspnea, cyanosis. Abnormic confirmed in the	nodation, ocular motility, ment, nystagmus, corrective lenses, macular degeneration. anal, perforated eardrums. with swallowing or breathing cemaker. respiratory rate, abnormal ar rates, impaired onormal findings on physic	al	7. Abdomen a Viscera 8. Vascular system 9. Genito-urin system 10. Extremities impaired. D may be subj to SPE certification of the system of th	Abnormal Abnormal Abnormal Abnormal Veins.  Limb Loss or im river limp, defor hypotonia. Iciate maintain s lower limb  Previous s limpaired e	wall muscle we pulse and amplipairment of leg mitties, atrophy Insufficient grateering wheel g to operate ped urgery, deformit quilibrium, cool	CHECK FOF pleen, masses, sakness. itude, carotid or foot, toe, arm, weakness, par sap and prehen rip. Insufficient als property. ties, limitation or	bruits, her arterial br hand, fing; alysis, clut sion in upp mobility an if motion, to	rnia, significan ruits, varicose er. Perceptibli bbing, edema, per limb to nd strength in enderness. n; paresthesia	*YES I
	ocular muscle imbalance, extraocular move exophthalmos, strabismus uncorrected by cretinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external caterine disease, according to the caterine disease, according to the caterine disease of external caterine disease, according to the caterine disease of external caterine disease, according to the caterine disease of external caterine dis	nodation, ocular motility, ment, nystagmus, corrective lenses, macular degeneration. anal, perforated eardrums. with swallowing or breathing cemaker. respiratory rate, abnormal ar rates, impaired onormal findings on physic	al	7. Abdomen a Viscera 8. Vascular system 9. Genito-urin system 10. Extremities impaired. D may be subj to SPE certific of therwise qualified. 11. Spine, other	and Enlarged I abdominal Abnormal veins.  Limb Loss or im limp, defor hypotonia. maintain s lower limb  er eletal Previous s Impaired e asymmetri	wall muscle we pulse and ample pairment of leg mities, atrophy Insufficient grateering wheel g to operate ped urgery, deformi quilibrium, coo c deep tendon	CHECK FOR pleen, masses, pakness. itude, carotid or foot, toe, arm, weakness, par asp and prehen rip. Insufficient als property.	bruits, her arterial br hand, fing- alysis, clut sion in upp- mobility ar  f motion, to ech patterrry or positir	rnia, significan ruits, varicose er. Perceptibli bbing, edema, per limb to nd strength in enderness. n; paresthesia	*YES I
4. Mouth & Throat  5. Heart  6. Lungs and chest, not including breast examination.  PCOMMENTS:  Note certificatio  Meets Standa  Driving within	ocular muscle imbalance, extraocular move exophthalmos, strabismus uncorrected by cretinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external ca Irremediable deformities likely to interfere w Murmurs, extra sounds, enlarged heart, pac Abnormal chest wall expansion, abnormal r breath sounds including wheezes or alveolar espiratory function, dyspnea, cyanosis. At exam may require further testing such as p	modation, ocular motility, ment, nystagmus, corrective lenses, macular degeneration.  anal, perforated eardrums. with swallowing or breathing coemaker.  respiratory rate, abnormal ar rates, impaired onormal findings on physiculmonary tests and/or xray  the Medical Examiner for trifficate Does not made on Does n	al	7. Abdomen a Viscera 8. Vascular system 9. Genito-urin system 10. Extremities impaired. D may be subj to SPE certification of the musculosker system.	and Enlarged I abdominal Abnormal veins.  Limb Loss or im limp, defor hypotonia. maintain s lower limb  er eletal Previous s Impaired e asymmetri	wall muscle we pulse and amplipairment of leg mittes, atrophy Insufficient grateering wheel g to operate ped urgery, deformit quilibrium, cook deep tendon ites, abnormal pulses, abnormal pulses, abnormal graties and g aid	CHECK FOR pleen, masses, sakness. itude, carotid or masses, par sap and prehen rip. Insufficient als property. Ities, limitation or spereflexes, sensor atellar and Bab	bruits, her arterial br hand, fing- alysis, clut sion in upp- mobility al f motion, te ech patterr y or posititiinski's refle mance Eva	rnia, significan ruits, varicose er. Perceptibli bbing, edema, per limb to nd strength in enderness. n; paresthesia	*YES
4. Mouth & Throat 5. Heart 6. Lungs and chest, not including breast examination.  COMMENTS:  Note certificatio  Meets Standa  Driving within  Meets standar	ocular muscle imbalance, extraocular move exophthalmos, strabismus uncorrected by cretinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external ca Irremediable deformities likely to interfere with Murmurs, extra sounds, enlarged heart, pac Abnormal chest wall expansion, abnormal right breath sounds including wheezes or alveolar respiratory function, dyspnea, cyanosis. At exam may require further testing such as proficient of the status here. See Instructions To Tords in 49CFR 391.41; qualifies for 2 year ce an exempt intracity zone	modation, ocular motility, ment, nystagmus, corrective lenses, macular degeneration.  anal, perforated eardrums. with swallowing or breathing coemaker.  respiratory rate, abnormal ar rates, impaired onormal findings on physiculmonary tests and/or xray  the Medical Examiner for trifficate Does not made on Does n	or guidance.	7. Abdomen a Viscera 8. Vascular system 9. Genito-urin system 10. Extremities impaired. D may be subj to SPE certil if otherwise qualified. 11. Spine, othe musculoske 12. Neurological	And Enlarged I abdominal Abnormal veins.  Alimb Loss or im river limp, defor hypotonia. I lower limb  Freeletal Previous s Impaired e asymmetri abnormalit  Wearing correct wearing the serior of the	wall muscle we pulse and amplipariment of leg mities, atrophy Insufficient graph to operate ped urgery, deformit quilibrium, cook deep tendon ies, abnormal graph tive lenses graph	CHECK FOF pleen, masses, eakness. itude, carotid or foot, toe, arm, weakness, par sap and prehen rip. Insufficient als property. ties, limitation or rdination or spe reflexes, sensor atellar and Bab	hand, fing allysis, clut sion in upp mobility an if motion, to ech pattern y or positivinski's reflut mance Eva	rnia, significan ruits, varicose er. Perceptible bbing, edema, per limb to nd strength in enderness. n; paresthesia onal exes, ataxia.	*YES I
4. Mouth & Throat 5. Heart 6. Lungs and chest, not including breast examination. **COMMENTS:  Note certificatio  Meets Standa  Driving within  Meets standar  Temporarily d	ocular muscle imbalance, extraocular move exophthalmos, strabismus uncorrected by cretinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external caterinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external caterinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external caterinopathy, and in the stranged heart, paction of external caterinopathy, and a support of external caterinopathy, and in the stranged heart, pactinopathy, and in the stranged heart, p	modation, ocular motility, ment, nystagmus, corrective lenses, macular degeneration.  anal, perforated eardrums. with swallowing or breathing cemaker.  respiratory rate, abnormal ar rates, impaired onormal findings on physiculmonary tests and/or xray  the Medical Examiner for trifficate Does not mare Qualified b	or guidance. neet standards y operation of 49	7. Abdomen a Viscera 8. Vascular system 9. Genito-urin system 10. Extremities impaired. D may be subj to SPE certil if otherwise qualified. 11. Spine, othe musculoske 12. Neurological	And Enlarged I abdominal Abnormal veins.  Altimb Loss or im limp, defor hypotonia. Ficate all loss or implementation of the control of the co	wall muscle we pulse and amplipariment of leg mities, atrophy Insufficient graph to operate ped urgery, deformit quilibrium, cook deep tendon ies, abnormal graph tive lenses graph	CHECK FOF pleen, masses, eakness. itude, carotid or foot, toe, arm, weakness, par sap and prehen rip. Insufficient als property. ties, limitation or rdination or spe reflexes, sensor atellar and Bab	hand, fing allysis, clut sion in upp mobility an if motion, to ech pattern y or positivinski's reflut mance Eva	rnia, significan ruits, varicose er. Perceptible bbing, edema, per limb to nd strength in enderness. n; paresthesia onal exes, ataxia.	*YES I
4. Mouth & Throat 5. Heart 6. Lungs and chest, not including breast examination. **COMMENTS:  Note certificatio  Meets Standa  Driving within  Meets standar  Temporarily d	ocular muscle imbalance, extraocular move exophthalmos, strabismus uncorrected by cretinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external caterinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external caterinopathy, cataracts, aphakia, glaucoma, Middle ear disease, occlusion of external caterinopathy, and in the steam	modation, ocular motility, ment, nystagmus, corrective lenses, macular degeneration.  anal, perforated eardrums. with swallowing or breathing commaker.  respiratory rate, abnormal ar rates, impaired conormal findings on physiculmonary tests and/or xray  the Medical Examiner for trifficate Does not mare Qualified b	or guidance. neet standards y operation of 49	7. Abdomen a Viscera 8. Vascular system 9. Genito-urin system 10. Extremities impaired. D may be subj to SPE certil of otherwise qualified. 11. Spine, other musculoske 12. Neurological drive a drive grant of the control of the cont	And Enlarged I abdominal Abnormal veins.  Altimb Loss or im limp, defor hypotonia. Ficate all loss or implementation of the control of the co	wall muscle we pulse and amplipariment of leg mities, atrophy Insufficient grid to operate ped urgery, deformit quilibrium, coold deep tendon ies, abnormal grid tive lenses grid grid grid grid grid grid grid grid	CHECK FOF pleen, masses, eakness. itude, carotid or foot, toe, arm, weakness, par sap and prehen rip. Insufficient als property. ties, limitation or rdination or spe reflexes, sensor atellar and Bab	bruits, her arterial br hand, fing, alysis, clut sion in upp mobility an if motion, to ech pattern y or positi inski's refle  mance Eva ed by a ponths  DATE S	rnia, significan ruits, varicose er. Perceptible bbing, edema, per limb to nd strength in enderness. n; paresthesia onal exes, ataxia.	*YES   1

# 49 CFR 391.41 PHYSICAL QUALIFICATIONS FOR DRIVERS

### THE DRIVER'S ROLE

Responsibilities, work schedules, physical and emotional demands, and lifestyles among commercial drivers vary by the type of driving that they do. Some of the main types of drivers include the following: turn around or short relay (drivers return to their home base each evening); long relay (drivers drive 8-10 hours and then have an 8-hour off-duty period); straight through haul (cross country drivers); and team drivers (drivers share the driving by alternating their 4-hour driving periods and 4-hour rest periods).

. The following factors may be involved in a driver's performance of duties: abrupt schedule changes and rotating work schedules, which may result in irregular sleep patterns and a driver beginning a trip in a fatigued condition; long hours; extended time away from family and friends, which may result in lack of social support; tight pickup and delivery schedules, with irregularity in work, rest, and eating patterns; adverse road, weather and traffic conditions, which may cause delays and lead to hurriedly loading or unloading cargo in order to compensate for the lost time: and environmental conditions such as excessive vibration, noise, and extremes in temperature. Transporting passengers or hazardous materials may add, to the demands on the

There may be duties in addition to the driving task for which a driver is responsible and needs to be fit. Some of these responsibilities are: coupling and uncoupling trailer(s) from the tractor; loading and unloading trailer(s) (sometimes a driver may lift a heavy load or unload as much as 50,000 lbs, of freight after sitting for a long period of time without any stretching period); inspecting the operating condition of tractor and trailer(s) before, during, and after delivery of cargo; lifting, installing, and removing heavy tire chains; and, lifting heavy tarpaulins to cover open top trailers. The above tasks demand agility, the ability to bend and stoop, the ability to maintain a crouching position to inspect the underside of the vehicle, frequent entering and exiting of the cab, and the ability to climb ladders on the tractor and/or trailer(s).

In addition, a driver must have the perceptual skills to monitor a sometimes complex driving situation, the judgment skills to make quick decisions, when necessary, and the manipulative skills to control an oversize steering wheel, shift gears using a manual

## §391.41 PHYSICAL QUALIFICATIONS FOR DRIVERS

visically qualified to do so and, except as provided in §391.67, has on his person the original, or a photographic copy, of a medical examiner's certificate that he is physically qualified to drive a commercial motor vehicle.

- (b) A person is physically qualified to drive a motor vehicle if that person:
  (1) Has no loss of a foot, a leg, a hand, or an arm, or has been granted a Skill Performance Evaluation (SPE) Certificate (formerly Limb Waiver Program) pursuant to §391.49;
  - (2) Has no impairment of: (i) A hand or finger which interferes with prehension or power grasping; or (ii) An arm, foot, or leg which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle; or any other significant limb defect or limitation which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle: or has been granted a SPE Certificate pursuant to \$391.49:
  - (3) Has no established medical history or clinical diagnosis of diabetes mellitus currently requiring insulin for control;
  - (4) Has no current clinical diagnosis of myocardial infarction, angina pectoris, coronary insufficiency, thrombosis, or any other cardiovascular disease of a variety known to be accompanied by syncope, dyspnea, collapse, or congestive cardiac failure:
  - (5) Has no established medical history or clinical diagnosis of a respiratory dysfunction likely to interfere with his ability to control and drive a commercial motor vehicle safely;
  - (6) Has no current clinical diagnosis of high blood pressure likely to interfere with his ability to operate a commercial motor vehicle safely;
  - (7) Has no established medical history or clinical diagnosis of rheumatic, arthritic, orthopedic, muscular, neuromuscular, or vascular disease which interferes with his ability to control and operate a commercial motor vehicle safely;
  - (8) Has no established medical history or clinical diagnosis of epilepsy or any other condition which is likely to cause loss of consciousness or any loss of ability to control a commercial motor vehicle;
  - (9) Has no mental, nervous, organic, or functional disease or psychiatric disorder likely to interfere with his ability to drive a commercial motor vehicle safely;
  - (10) Has distant visual acuity of at least 20/40 (Snellen) in each eye without corrective lenses or visual acuity separately corrected to 20/40 (Snellen) or better with corrective lenses, distant binocular acuity of at least 20/40 (Snellen) in both eyes with or without corrective lenses, field of vision of at least 70 degrees in the horizontal meridian in each eye, and the ability to recognize the colors of traffic signals and devices showing standard red, green and amber; (11) First perceives a forced whispered voice in the better ear not less than 5 feet with or without the use of a hearing aid, or, if tested by use of an audiometric device, does not have an average hearing loss in the better ear greater than 40 decibels
  - at 500 Hz, 1,000 Hz and 2,000 Hz with or without a hearing aid when the audiometric device is calibrated to American National Standard (formerly ASA Standard) Z24.5-1951; (12) (i) Does not use a controlled substance identified in 21 CFR 1308.11 Schedule I, an amphetamine, a narcotic, or any other habit-forming drug. (ii) Exception: A driver may use such a substance or drug, if the substance or drug is prescribed by
  - a licensed medical practitioner who: (A) Is familiar with the driver's medical history and assigned duties; and (B) Has advised the driver that the prescribed substance or drug will not adversely affect the driver's ability to safely operate a commercial motor vehicle: and
  - (13) Has no current clinical diagnosis of alcoholism

## **INSTRUCTIONS TO THE MEDICAL EXAMINER**

### General Information

The purpose of this examination is to determine a driver's physical qualification to operate a commercial motor vehicle (CMV) in interstate commerce according to the requirements in 49 CFR 391.41-49. Therefore, the medical examiner must be knowledgeable of these requirements and guidelines developed by the FMCSA to assist the medical examiner in making the qualification determination. The medical examiner should be familiar with the driver's responsibilities and work environment and is referred to the section on the form. The Driver's Role.

In addition to reviewing the Health History section with the driver and conducting the physical examination, the medical examiner should discuss common prescriptions and over-the-counter medications relative to the side effects and hazards of these medications while driving. Educate driver to read warning labels on all medications. History of certain conditions may be cause for rejection, particularly if required by regulation, or may indicate the need for additional laboratory tests or more stringent examination perhaps by a medical specialist. These decisions are usually made by the medical examiner in light of the driver's job responsibilities, work schedule and potential for the condition to render the driver unsafe.

Medical conditions should be recorded even if they are not cause for denial, and they should be discussed with the driver to encourage appropriate remedial care. This advice is especially needed when a condition, if neglected, could develop into a serious illness that could affect driving. If the medical examiner determines that the driver is fit to drive and is also able to perform non-driving responsibilities as may be required, the medical examiner signs the medical certificate which the driver must carry with his/her license. The certificate

must be dated. Under current regulations, the certificate is valid for two years, unless the driver has a medical condition that does not prohibit driving but does require more frequent monitoring. In such situations, the medical certificate should be issued for a shorter length of time. The physical examination should be done carefully and at least as complete as is indicated by the attached form. Contact the FMCSA at (202) 366-1790 for further information (a vision exemption, qualifying drivers under 49 CFR 391.64 etc.)

# **Interpretation of Medical Standards**

Since the issuance of the regulations for physical qualifications of commercial drivers, the Federal Motor Carrier Safety Administration (FMCSA) has published recommendations called Advisory Criteria to help medical examiners in determining whether a driver meets the physical qualifications for commercial driving. These recommendations have been condensed to provide information to medical examiners that (1) is directly relevant to the physical examination and (2) is not already included in the medical examination form. The specific regulation is printed in italics and its reference by section is highlighted.

# Federal Motor Carrier Safety Regulations - Advisory Criteria -Loss of Limb: § 391.41(b)(1)

A person is physically qualified to drive a commercial motor vehicle if that person:

Has no loss of a foot, leg, hand or an arm, or has been granted a Skill Performance Evaluation (SPE) Certificate pursuant to Section 391.49. **Limb Impairment:** § 391.41(b)(2)

A person is physically qualified to drive a commercial motor vehicle if that person:

Has no impairment of: (i) A hand or finger which interferes with prehension or power grasping; or (ii) An arm, foot, or leg which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle; or (iii) Any other significant limb defect or limitation which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle; or (iv) Has been granted a Skill Performance Evaluation Certificate pursuant to Section 391.49. A person who suffers loss of a foot, leg, hand or arm or whose limb impairment in any way interferes with the safe performance of normal tasks associated with operating a commercial motor vehicle is subject to the Skill Performance Evaluation (SPE) Certification Program pursuant to Section 391.49, assuming the person is otherwise qualified.

With the advancement of technology, medical aids and equipment modifications have been developed to compensate for certain disabilities. The SPE Certification Program (formerly the Limb Waiver Program) was designed to allow persons with the loss of a foot or limb or with functional impairment to qualify under the Federal Motor Carrier Safety Regulations (FMCSRs) by use of prosthetic devices or equipment modifications which enable them to safely operate a commercial motor vehicle. Since there are no medical aids equivalent to the original body or limb, certain risks are still present, and thus restrictions may be included on individual SPE certificates when a State Director for the FMCSA determines they are necessary to be consistent with safety and public interest.

If the driver is found otherwise medically qualified (391.41(b)(3) through (13)), the medical examiner must check on the medical certificate that the driver is qualified only if accompanied by a SPE certificate. The driver and the employing motor carrier are subject to appropriate penalty if the driver operates a motor vehicle in interstate or foreign commerce without a current SPE certificate for his/her physical disability.

# Diabetes § 391.41(b)(3)

A person is physically qualified to drive a commercial motor vehicle if that person:

Has no established medical history or clinical diagnosis of diabetes mellitus currently requiring insulin for control.

Diabetes mellitus is a disease which, on occasion, can result in a loss of consciousness or disorientation in time and space. Individuals who require insulin for control have conditions which can get out of control by the use of too much or too little insulin, or food intake not consistent with the insulin dosage. Incapacitation may occur from symptoms of hyperglycemic or hypoglycemic reactions (drowsiness, semiconsciousness, diabetic coma or insulin shock).

The administration of insulin is, within itself, a complicated process requiring insulin, syringe, needle, alcohol sponge and a sterile technique. Factors related to long-haul commercial motor vehicle operations, such as fatigue, lack of sleep, poor diet, emotional conditions, stress, and concomitant illness, compound the diabetic problem. Thus, because of these inherent dangers, the FMCSA has consistently held that a diabetic who uses insulin for control does not meet the minimum physical requirements of the FMCSRs.

Hypoglycemic drugs, taken orally, are sometimes prescribed for diabetic individuals to help stimulate natural body production of insulin. If the condition can be controlled by the use of oral medication and diet, then an individual may be qualified under the present rule. (See Conference Report on Diabetic Disorders and Commercial Drivers and Insulin-Using Commercial Motor Vehicle Drivers at: http://www.fmcsa.dot.gov/rulesregs/medreports.htm)

Cardiovascular Condition § 391.41(b)(4)

A person is physically qualified to drive a commercial motor vehicle if that person:

Has no current clinical diagnosis of myocardial infarction, angina pectoris, coronary insufficiency, thrombosis or any other cardiovascular disease of a variety known to be accompanied by syncope, dyspnea, collapse or congestive cardiac failure. The term "has no current clinical diagnosis of" is specifically designed to encompass: "a clinical diagnosis of" (1) a current cardiovascular condition, or (2) a cardiovascular condition which has not fully stabilized regardless of the time limit. The term "known to be accompanied by" is defined to include: a clinical diagnosis of a cardiovascular disease (1) which is accompanied by symptoms of syncope, dyspnea, collapse or congestive cardiac failure; and/or (2) which is likely to cause syncope, dyspnea, collapse

It is the intent of the FMCSRs to render unqualified a driver who has a current cardiovascular disease which is accompanied by and/or likely to cause symptoms of syncope, dyspnea, collapse, or congestive cardiac failure. However, the subjective decision of whether the nature and severity of an individual's condition will likely cause symptoms of cardiovascular insufficiency is on an individual basis and qualification rests with the medical examiner and the motor carrier. In those cases where there is an occurrence of cardiovascular insufficiency (myocardial infarction, thrombosis, etc.), it is suggested before a driver is certified that he or she have a normal resting and stress electrocardiogram (ECG), no residual complications and no physical limitations, and is taking no medication likely to interfere with safe driving.

Coronary artery bypass surgery and pacemaker implantation are remedial procedures and thus, not unqualifying. Coumadin is a medical treatment which can improve the health and safety of the driver and should not, by its use, medically disqualify the commercial driver. The emphasis should be on the underlying medical condition(s) which require treatment and the general health of the driver. The FMCSA should be contacted at (202) 366-1790 for additional recommendations regarding the physical qualification of drivers on coumadin. (See Conference on Cardiac Disorders and Commercial Drivers at: http://www.fmcsa.dot.gov/rulesregs/medreports.htm)

# Respiratory Dysfunction § 391.41(b)(5)

A person is physically qualified to drive a commercial motor vehicle if that person:

Has no established medical history or clinical diagnosis of a respiratory dysfunction likely to interfere with ability to control and drive a commercial motor vehicle safely.

Since a driver must be alert at all times, any change in his or her mental state is in direct conflict with highway safety. Even the slightest impairment in respiratory function under emergency conditions (when greater oxygen supply is necessary for performance) may be detrimental to safe driving.

There are many conditions that interfere with oxygen exchange and may result in incapacitation, including emphysema, chronic asthma, carcinoma, tuberculosis, chronic bronchitis and sleep apnea. If the medical examiner detects a respiratory dysfunction, that in any way is likely to interfere with the driver's ability to safely control and drive a commercial motor vehicle, the driver must be referred to a specialist for further evaluation and therapy. Anticoagulation therapy for deep vein thrombosis and/or pulmonary thromboembolism is not unqualifying once optimum dose is achieved, provided lower extremity venous examinations remain normal and the treating physician gives a favorable recommendation. (See Conference on Pulmonary/Respiratory Disorders and Commercial Drivers at: http://www.fmcsa.dot.gov/rulesregs/medreports.htm)

### Hypertension § 391.41(b)(6)

A person is physically qualified to drive a commercial motor vehicle if that person:

Has no current clinical diagnosis of high blood pressure likely to interfere with ability to operate a commercial motor vehicle safely.

Hypertension alone is unlikely to cause sudden collapse; however, the likelihood increases when target organ damage, particularly cerebral vascular disease, is present. This regulatory criteria is based on FMCSA's Cardiac Conference recommendations, which used the report of the 1984 Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure.

A blood pressure of 161-180 and/or 91-104 diastolic is considered mild hypertension, and the driver is not necessarily unqualified during evaluation and institution of treatment. The driver is given a 3-month period to reduce his or her blood pressure to less than or equal to 160/90; the certifying physician should state on the medical certificate that it is only valid for that 3-month period. If the driver is subsequently found qualified with a blood pressure less than or equal to 160/90, the certifying physician may issue a medical certificate for a 1-year period, but should confirm blood pressure control in the third month of this 1-year period. The individual should be certified annually thereafter. The expiration date must be stated on the medical certificate.

A blood pressure of greater than 180 systolic and/or greater than 104 diastolic is considered moderate to severe. The driver may not be qualified, even temporarily, until his or her blood pressure has been reduced to less than 181/105. The examining physician may temporarily certify the individual once the individual's blood pressure is below 181 and/or 105. For blood pressure greater than 180 and/or 104, documentation of continued control should be made every 6 months. The individual should be certified biannually thereafter. The expiration date must be stated on the medical certificate. Commercial drivers who present for certification with normal blood pressures but are taking medication(s) for hypertension should be certified on the same basis as individuals who present with blood pressures in the mild or moderate to severe range. Annual recertification is recommended if the medical examiner is unable to establish the blood pressure at the time of diagnosis.

An elevated blood pressure finding should be confirmed by at least two subsequent measurements on different days. Inquiry should be made regarding smoking, cardiovascular disease in relatives, and immoderate use of alcohol. An electrocardiogram (ECG) and blood profile, including glucose, cholesterol, HDL cholesterol, creatinine and potassium, should be made. An echocardiogram and chest x-ray are desirable in subjects with moderate or severe hypertension.

Since the presence of target damage increases the risk of sudden collapse, group 3 or 4 hypertensive retinopathy, left ventricular hypertrophy not otherwise explained (echocardiography or ECG by Estes criteria), evidence of severely reduced left ventricular function, or serum creatinine of greater than 2.5 warrants the driver being found unqualified to operate a commercial motor vehicle in interstate commerce.

Treatment includes nonpharmacologic and pharmacologic modalities as well as counseling to reduce other risk factors. Most antihypertensive medications also have side effects, the importance of which must be judged on an individual basis. Individuals must be alerted to the hazards of these medications while driving. Side effects of somnolence or syncope are particularly undesirable in commercial drivers.

A commercial driver who has normal blood pressure 3 or more months after a successful operation for pheochromocytoma, primarily aldosteronism (unless bilateral adrenalectomy has been performed), renovascular disease, or unilateral renal parenchymal disease, and who shows no evidence of target organ may be qualified. Hypertension that persists despite surgical intervention with no target organ disease should be evaluated and treated following the guidelines set forth above. (See Conference on Cardiac Disorders and Commercial Drivers at: http://www.fmcsa.dot.gov/rulesregs/medreports.htm)

# Rheumatic, Arthritic, Orthopedic, Muscular, Neuromuscular or Vascular Disease § 391.41(b)(7)

A person is physically qualified to drive a commercial motor vehicle if that person:

Has no established medical history or clinical diagnosis of rheumatic, arthritic, orthopedic, muscular, neuromuscular or vascular disease which interferes with ability to control and operate a commercial motor vehicle safely.

Certain diseases are known to have acute episodes of transient muscle weakness, poor muscular coordination (ataxia), abnormal sensations (paresthesia), decreased muscular tone (hypotonia), visual disturbances and pain which may be suddenly incapacitating. With each recurring episode, these symptoms may become more pronounced and remain for longer periods of time. Other diseases have more insidious onsets and display symptoms of muscle wasting (atrophy), swelling and paresthesia which may not suddenly incapacitate a person but may restrict his/her movements and eventually interfere with the ability to safely operate a motor vehicle. In many instances these diseases are degenerative in nature or may result in deterioration of the involved area.

Once the individual has been diagnosed as having a rheumatic, arthritic, orthopedic, muscular, neuromuscular or vascular disease, then he/she has an established history of that disease. The physician, when examining an individual, should consider the following: (1) the nature and severity of the individual's condition (such as sensory loss or loss of strength); (2) the degree of limitation present (such as range of motion); (3) the likelihood of progressive limitation (not always present initially but may manifest itself over time); and (4) the likelihood of sudden incapacitation. If severe functional impairment exists, the driver does not qualify. In cases where more frequent monitoring is required, a certificate for a shorter time period may be issued. (See Conference s and Commercial Drivers at: http://www.fmcsa.dot.gov/rulesregs/medreports.htm)

### Epilepsy § 391.41(b)(8)

A person is physically qualified to drive a commercial motor vehicle if that person:

Has no established medical history or clinical diagnosis of epilepsy or any other condition which is likely to cause loss of consciousness or any loss of ability to control a motor vehicle.

Epilepsy is a chronic functional disease characterized by seizures or episodes that occur without warning, resulting in loss of voluntary control which may lead to loss of consciousness and/or seizures. Therefore, the following drivers cannot be qualified: (1) a driver who has a medical history of epilepsy; or (2) a driver who has a current clinical diagnosis of epilepsy; or (3) a driver who is taking antiseizure medication.

If an individual has had a sudden episode of a nonepileptic seizure or loss of consciousness of unknown cause which did not require antiseizure medication, the decision as to whether that person's condition will likely cause loss of consciousness or loss of ability to control a motor vehicle is made on an individual basis by the medical examiner in consultation with the treating physician. Before certification is considered, it is suggested that a 6-month waiting period elapse from the time of the episode. Following the waiting period, it is suggested that the individual have a complete neurological examination. If the results of the examination are negative and antiseizure medication is not required, then the driver may be qualified.

In those individual cases where a driver has a seizure or an episode of loss of consciousness that resulted from a known medical condition (e.g., drug reaction, high temperature, acute infectious disease, dehydration or acute metabolic disturbance), certification should be deferred until the driver has fully recovered from that condition and has no existing residual complications, and not taking antiseizure medication. (See Conference on Neurological Disorders and Commercial Drivers at: fmcsa.dot.gov/rulesregs/ rts.htm)

### Mental Disorders § 391.41(b)(9)

A person is physically qualified to drive a commercial motor vehicle if that person:

Has no mental, nervous, organic or functional disease or psychiatric disorder likely to interfere with ability to drive a motor vehicle safely.

Emotional or adjustment problems contribute directly to an individual's level of memory, reasoning, attention and judgment. These problems often underlie physical disorders. A variety of functional disorders can cause drowsiness, dizziness, confusion, weakness or paralysis that may lead to incoordination, inattention, loss of functional control and susceptibility to accidents while driving. Physical fatigue, headache, impaired coordination, recurring physical ailments and chronic "nagging" pain may be present to such a degree that certification for commercial driving is inadvisable. Somatic and psychosomatic complaints should be thoroughly examined when determining an individual's overall fitness to drive. Disorders of a periodically incapacitating nature, even in the early stages of development, may warrant disqualification.

Many bus and truck drivers have documented that "nervous trouble" related to neurotic, personality, emotional or adjustment problems is responsible for a significant fraction of their preventable accidents. The degree to which an individual is able to appreciate, evaluate and adequately respond to environmental strain and emotional stress is critical when assessing an individual's mental alertness and flexibility to cope with the stresses of commercial motor vehicle driving.

When examining the driver, it should be kept in mind that individuals who live under chronic emotional upsets may have deeply ingrained maladaptive or erratic behavior patterns. Excessively antagonistic, instinctive, impulsive, openly aggressive, paranoid or severely depressed behavior greatly interfere with the driver's ability to drive safely. Those individuals who are highly susceptible to frequent states of emotional instability (schizophrenia, affective psychoses, paranoia, anxiety or depressive neuroses) may warrant disqualification. Careful consideration should be given to the side effects and interactions of medications in the overall qualification determination. See Psychiatric Conference Report for specific recommendations on the use of these medications and potential hazards for driving. (See Conference on Psychiatric Disorders and Commercial Drivers at: http://www.fmcsa.dot.gov/rulesregs/medreports.htm)

# Vision § 391.41(b)(10)

A person is physically qualified to drive a commercial motor vehicle if that person:

Has distant visual acuity of at least 20/40 (Snellen) in each eye with or without corrective lenses or visual acuity separately corrected to 20/40 (Snellen) or better with corrective lenses, distant binocular acuity of at least 20/40 (Snellen) in both eyes with or without corrective lenses, field of vision of at least 70 degrees in the horizontal meridian in each eye, and the ability to recognize the colors of traffic signals and devices showing standard red, green and amber.

The term "ability to recognize the colors of" is interpreted to mean if a person can recognize and distinguish among traffic control signals and devices showing standard red, green and amber, he or she meets the minimum standard, even though he or she may have some type of color perception deficiency. If certain color perception tests are administered, (such as Ishihara, Pseudoisochromatic, Yarn) and doubtful findings are discovered, a controlled test using signal red, green and amber may be employed to determine the driver's ability to recognize these colors.

Contact lenses are permissible if there is sufficient evidence to indicate that the driver has good tolerance and is well adapted to their use. Use of a contact lens in one eye for distance visual acuity and another lens in the other eye for near vision is not acceptable, nor telescopic lenses acceptable for the driving of commercial motor vehicles.

If an individual meets the criteria by the use of glasses or contact lenses, the following statement shall appear on the Medical Examiner's Certificate: "Qualified only if wearing corrective lenses". (See Visual Disorders and Commercial Drivers at: http://www.fmcsa.dot.gov/rulesregs/medreports.htm)

# Hearing § 391.41(b)(11)

A person is physically qualified to drive a commercial motor vehicle if that person:

First perceives a forced whispered voice in the better ear at not less than 5 feet with or without the use of a hearing aid, or, if tested by use of an audiometric device, does not have an average hearing loss in the better ear greater than 40 decibels at 500 Hz. 1,000 Hz, and 2,000 Hz with or without a hearing aid when the audiometric device is calibrated to American National Standard (formerly ASA Standard) Z24.5-1951. Since the prescribed standard under the FMCSRs is the American Standards Association (ANSI), it may be necessary to convert the audiometric results from the ISO standard to the ANSI standard. Instructions are included on the Medical Examination report form.

If an individual meets the criteria by using a hearing aid, the driver must wear that hearing aid and have it in operation at all times while driving. Also, the driver must be in possession of a spare power source for the hearing aid.

For the whispered voice test, the individual should be stationed at least 5 feet from the examiner with the ear being tested turned toward the examiner. The other ear is covered. Using the breath which remains after a normal expiration, the examiner whispers words or random numbers such as 66, 18, 23, etc. The examiner should not use only sibilants (s-sounding test materials). The opposite ear should be tested in the same manner. If the individual fails the whispered voice test, the audiometric test should be administered.

If an individual meets the criteria by the use of a hearing aid, the following statement must appear on the Medical Examiner's Certificate "Qualified only when wearing a hearing aid". (See Hearing Disorders and Commercial Motor Vehicle Drivers at: http://www.fmcsa.dot.gov/rulesregs/medreports.htm)

## Drug Use § 391.41(b)(12)

A person is physically qualified to drive a commercial motor vehicle if that person:

Does not use a controlled substance identified in 21 CFR 1308.ll. Schedule I, an amphetamine, a narcotic, or any other habit-forming drug. Exception: A driver may use such a substance or drug, if the substance or drug is prescribed by a licensed med practitioner who is familiar with the driver's medical history and assigned duties; and has advised the driver that the prescribed substance or drug will not adversely affect the driver's ability to safely operate a commercial motor vehicle.

This exception does not apply to methadone. The intent of the medical certification process is to medically evaluate a driver to ensure that the driver has no medical condition which interferes with the safe performance of driving tasks on a public road. If a driver uses a Schedule I drug or other substance, an amphetamine, a narcotic, or any other habit-forming drug, it may be cause for the driver to be found medically unqualified. Motor carriers are encouraged to obtain a practitioner's w the effects on transportation safety of the use of a particular drug.

A test for controlled substances is not required as part of this biennial certification process. The FMCSA or the driver's employer should be contacted directly for information on controlled substances and alcohol testing under Part 382 of the FMCSRs. The term "uses" is designed to encompass instances of prohibited drug use determined by a physician through established medical means. This may or may not involve body fluid testing. If body fluid testing takes place, positive test results should be confirmed by a second test of greater specificity. The term "habit-forming" is intended to include any drug or medication generally recognized as capable of becoming habitual, and which may impair the user's ability to operate a commercial motor vehicle

The driver is medically unqualified for the duration of the prohibited drug(s) use and until a second examination shows the driver is free from the prohibited drug(s) use. Recertification may involve a substance abuse evaluation, the successful completion of a drug rehabilitation program, and a negative drug test result. Additionally, given that the certification period is normally two years, the examiner has the option to certify for a period of less than 2 years if this examiner determines more frequent monitoring is required. (See Conference on Neurological Disorders and Commercial Drivers and Conference on Psychiatric Disorders and Commercial Drivers at: http://www.fmcsa.dot.gov/rulesregs/medreports.htm)

Alcoholism § 391.41(b)(13)

A person is physically qualified to drive a commercial motor vehicle if that person:

Has no current clinical diagnosis of alcoholism.

The term "current clinical diagnosis of" is specifically designed to encompass a current alcoholic illness or those instances where the individual's physical condition has not fully stabilized, regardless of the time element. If an individual shows signs of having an alcohol-use problem, he or she should be referred to a specialist. After counseling and/or treatment, he or she may be considered for certification.